

## Highlights:

- null
- 700 Watt program power
- null



## Product information:

The ARCHI Series combines architectural elegance with groundbreaking audio performance. Designed for bars, restaurants, hospitality, and residential applications, these compact subwoofers deliver immersive sound with minimal visual impact.

Featuring innovations like AcoustiMesh for acoustic neutrality, AeroVent for noise-free bass performance, and WeatherTreated capabilities, the ARCHI Series excels indoors and outdoors. With low-frequency extensions down to 26Hz, flexible mounting options, and durable materials, the ARCHI Series redefines low-frequency fidelity, offering powerful, precise bass in a discreet, stylish design.

### ARCHI10X: Ultra-Resilient Performance

The ARCHI10X is built to deliver exceptional performance with unparalleled durability. Featuring an extremely rigid chassis and inner framing, this model ensures stability even under the most demanding conditions. Its dual silicone spiders allow for extended excursion capability, while the copper demodulating ring minimizes distortion, ensuring crystal-clear low-frequency output. The ARCHI10X also incorporates a highly linear Force Factor figure and a very high-temperature rate voice coil, enabling consistent, reliable performance at high power levels. The ARCHI10X/OB promises enhanced resilience in challenging covered outdoor environments.

## Applications:

- null
- Hotels
- Residential



## Properties:



## Impedance:

---

Ω 8 Ohm

## Usage:

---



Indoor



Outdoor

## System specifications:

---

Speaker type		null
Configuration		null
Peak power handling		1400 W
Program power handling		700 W
Continuous power (AES)		350 W
Impedance		8 Ω
Max SPL (Continuous/AES)		117 dB
Sensitivity (1W/1m)		91 dB
Frequency	Response (- 3 dB)	43 Hz - 95 Hz
	Range (-10 dB)	26 Hz - 120 Hz
Bass port tuning frequency		null
Connectors		null
Drivers		null
	Cone material	null
Ingress Protection rating		null

## Product Features:

---

Dimensions	21.26 x 9.21 x 21.97 " (W x H x D) (excluding feet)
	21.26 x 9.69 x 21.97 " (W x H x D) (including feet)
Weight	56.22 lb
Operating temperature	-4 °F ~ 158 °F
Construction	null
Front finish	AcoustiMesh
Colours	Black (ARCHI10X/OB)
	White (ARCHI10X/W)

## Variants:

---

- ARCHI10X/OB - In- & outdoor black version
- ARCHI10X/W - Indoor only white version